## ANHUI SENTAI WPC TEC FLOORING CO.,LTD



## **DECLARATION OF PERFORMANCE**

PCST2016

## 1. Product type:

BPC Indoor Flooring. Made of BPC board with a density around 0.9g/cm3, produced together with the LVT and pad options.

2. Product collection:

BPC

3. Intended use:

Residential and commercial use as floor coverings

4. Manufacturer:

ANHUI SENTAI WPC TEC FLOORING CO.,LT

Jianshe Road, Economy and Technology Development Zone, China

Tel: +86 563 6989160 | Fax: +86 563 6989029 | www.sentaifloor.com

5. Authorized representative:

Not applicable

6. System of assessment of performance:

System 4

7. Reference harmonised standard and notified test laboratory:

EN 14041: 2008 - Resilient, textile and laminate floor coverings - Essential Characteristics

Germany lab. EPH

8. European Technical Assessment:

Not applicable

## 9. Declared performance:

Essential characteristics	Performance	Harmonised Standard
Reaction to fire	Class Bfl-s2	FN 14041-2009
according with EN ISO 9239-1	Class Bii-sz	EN 14041:2008
Formaldehyde emission	Class E1	EN 14041:2008
according with EN 717-1		
Anti-sliding properties	Class DS	EN 14041:2008
according with EN13893:2004		
Thermal resistance	0.0772 m2 K/M	EN 14041:2008
according with EN 12667:2001	0,0772 m2.K/W	EN 14041.2008
Content of PCP:	Not Detected ( <mdl)< td=""><td rowspan="2">EN 14041:2008</td></mdl)<>	EN 14041:2008
According to CEN/TR 12667:2001		

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

唐圣卫 President

